

## St. Lucie County Building & Zoning Department

2300 Virginia Avenue Fort Pierce, FL 34982 772-462-2165 Fax 772-462-6443

Permit Number:

## **Request for 30-Day Temporary Power Release**

Property Address:	
THE UNDERSIGNED HEREBY REQUEST RELEASE OF ABOVE DESCRIBED PROPERTY, FOR A PERIOD NOT THE PURPOSE OF TESTING SYSTEMS AND EQUIPMINSPECTION. IN CONSIDERATION OF APPROVAL OF ACKNOWLEDGE AND AGREE AS FOLLOWS:	T TO EXCEED THIRTY (30) DAYS, FOR ENT IN PREPARATION FOR FINAL
<ol> <li>This temporary power release is requested for the above st and there will be no occupancy of any type, other than tha during this time period.</li> <li>As witness by our signatures, we hereby agree to abide by a of this agreement, including Building Division Policy, which is agreement, including Building Division Policy, which is all conditions and requirements listed in the attached document in the a</li></ol>	t permitted by construction  all terms and conditions h is incorporated herein by reference.  ment entitled ulfilled and the premise is ready for compliance inspection. e in writing to the Building Official stating the reason for a Stop Work Order issued if the Final Inspection ill be required to lift the Stop Work Order.  ILESS, ST. LUCIE COUNTY, AND LAIMS OF ANY TYPE OF NATURE OF THIS TRANSACTION, INCLUDING THE DISCONNECTION OF
OWNER SIGNATURE	DATE
GENERAL CONTRACTOR SIGNATURE	DATE
ELECTRICAL CONTRACTOR SIGNATURE	DATE

## St. Lucie County Building and Zoning Department

## **Requirements for 30 Day Power for Testing**

- I. Form entitled "Request for 30-Day Temporary Power Release" must be fully executed and posted in the Building Department record files prior to inspection.
- II. Inspection Requirements:
  - 1. Address numbers shall be posted per county Ord. No. 7.05.09.
  - 2. All entrances, exits, windows and garage doors must be lockable.
  - 3. All circuits on exterior shall be terminated in a box with weatherproof cover. The same applies to a disconnect. If circuits are at or above 7'6" from grade they may be capped with wire nuts and taped.
  - 4. All breakers must be installed. Any blank pace must be closed b a breaker or approved filler plates.
  - 5. Interior Wiring: All receptacles, light fixtures and fans must be trimmed. Any fixture below 7'6" from the floor or mezzanine that is not available at the time of inspection must have an Inviso plate installed. Fixtures at or above that height may be capped with wire nuts and taped.
  - 6. All smoke detectors must be installed.
  - 7. Kitchen cabinets must be installed; any exception for special conditions or circumstances must have an approval prior to scheduled inspection.
  - 8. Sewer and water connections must be complete. Only well pumps are excluded from this requirement.
  - 9. Exterior construction must be complete and weather tight, including stucco, siding, roof and soffit.
  - 10. Permit work shall be substantially completed except for back orders, paint on exterior, carpet and/or floor covering, pumps, air conditioners and driveway.